



Applications		
1	2	3
Snorkels	Lower vessel wall side	Lower vessel bottom
HA Castable mix for snorkel's lining	Jointing cement for MgO-cr bricks	Repairing castable mix
Jointing cement for MgO-Cr bricks	Castable mix for repairing working lining	Castable for safety lining
Ramming mix in backside of bricks	Ramming mix between working lining and safety lining	Jointing cement for MgO-Cr bricks
	Anti - sticking mix for bricks between upper and lower vessels	Ramming mix around sleeves of bricks

Our Products

Area	Applications	Products
1) Snorkel	ULC Tabular alumina castable mix for snorkel lining Self flowing version of ULC tabular alumina castable mix 10 mm grading tabular alumina castable mix 3 mm grading self flowing mix in backside of bricks Heat setting mortar for MgO-Cr bricks Backside ramming mix for blocking sleeves of bricks	Refravibre 99 D Castalone 99 Beton 9400/10 Beton 9904/3 Refracol 27 Mixomag 55
2) Wall Side of Lower Vessel	Heat setting mortar for MgO-Cr bricks High magnesia castable mix for repairing working lining Ramming mix between working/safety linings Anti sticking mix for bricks between upper/lower vessels	Refracol 27 Thixomag 472 AEF Refracol 727 SB Refracol 727 SB
3) Bottom of lower vessel	High alumina castable mix for working lining ULC high magnesia mix for repairing working lining High alumina castable mix for safety lining Heat setting mortar for MgO-Cr bricks Hot setting ramming mix for blocking MgO-Cr bricks Electrofused MgO mix for Protective lining	Refravibre 99 DF Thixomag 472 AEF Beton 9405 Refracol 27 Mixomag 55 Thixomag 472 AEF /3